

Inspection Date:	Inspection Manager:
<b>30 September 2009</b>	<b>Mr John Powell</b>

## Inspection report 2009/2010

**Allure Skin and Beauty**  
**31 Charles St**  
**Newport**  
**NP20 1JT**

### ***Introduction***

Independent healthcare providers in Wales must be registered with the Healthcare Inspectorate Wales (HIW). HIW acts as the regulator of healthcare services in Wales on behalf of the Welsh Ministers who, by virtue of the Government of Wales Act 2006, are designated as the registration authority.

To register, they need to demonstrate compliance with the Care Standards Act 2000 and associated regulations. The HIW tests providers' compliance by assessing each registered establishment and agency against a set of *National Minimum Standards*, which were published by the Welsh Assembly Government and set out the minimum standards for different types of independent health services. Further information about the standards and regulations can be found on our website at: [www.hiw.org.uk](http://www.hiw.org.uk)

Readers must be aware that this report is intended to reflect the findings of the inspection episode. Readers should not conclude that the circumstances of the service will be the same at all times.

### **Background and main findings**

An announced inspection was undertaken at Allure Skin Care and Beauty on the 30 September 2009 by an Inspection Manager. The Clinic was first registered on the 10 September 2007 and is registered to provide a range of treatments using Intense Pulsed Light technology.

Prior to the inspection visit the registered provider submitted a completed pre-inspection questionnaire. The inspection visit focused upon the analysis of a range of documentation, discussion with the registered provider, examination of patient records and a tour of the premises.

In respect of the main inspection findings, the registered person had in place:

- A statement of purpose and patient guide was available, however, copies of the patient guide need to be made available to all patients
- A range of policies and procedures with the date of formulation and anticipated review. However, there was no policy or procedure in relation to the protection of vulnerable adults.
- Comprehensive patient records that included a medical questionnaire and a consent to treatment form. Prior to any treatment patients were routinely given a “patch test” to ensure that their skin was suitable for treatment. In addition, patients routinely signed to confirm that their medical circumstances had not changed since their last treatment.
- Local rules for the safe operation of the Intense Pulsed Light machine were in place and had been signed by the authorised operator to confirm that the rules had been read and understood. However, the local rules required updating to reflect the appointment of a new Laser Protection Advisor.
- Patient questionnaires had been completed and the results were very positive, however, there was no analysis of the results.

In respect of the other inspection findings there was no evidence that protection of vulnerable adults and fire training had been undertaken.

The Inspection Manager would like to thank the registered provider for her time and co-operation during the inspection visit.

## **Achievements and compliance**

Within the previous inspection report 3 requirements had been identified and these had been addressed.

## **Registration Types**

This registration is granted according the type of service provided. This report is for the following type of service

Description
<b>Independent Hospital</b>
<b>Independent hospital providing a listed service using a prescribed technique or prescribed technology:</b> <ul style="list-style-type: none"><li>• <b>Laser or Intense Pulsed Light Source</b></li></ul>

## Conditions of registration

This registration is subject to the following conditions. Each condition is inspected for compliance. The judgement is described as Compliant, Not Compliant or Insufficient Assurance.

Condition number	Condition of Registration	Judgement
1.	The registered person will not provide medical or psychiatric services of any kind nor any "listed services" as defined by section 2(7) of the Care Standards Act 2000 other than those set out in condition 2 below:	Compliant
2.	Treatment using an intense pulsed light system as prescribed by Regulation 3(1)(b) of the Private and Voluntary Health Care (Wales) Regulations 2002	Complaint
3.	In relation to the treatment specified in condition 2 above the registered person must only use the iPulse Intense Pulsed Light System (and only for the purpose of): <ul style="list-style-type: none"> <li>◆ Hair Removal</li> <li>◆ Skin-rejuvenation</li> <li>◆ Treating Pigmented Lesions</li> <li>◆ Acne Treatments</li> </ul>	Complaint
4.	No persons under the age of eighteen (18) years may be provided with treatment	Complaint
5.	Overnight accommodation must not be provided at the establishment.	Compliant

## Assessments

The Healthcare Inspectorate Wales carries out on site inspections to make assessments of standards. If we identify areas where the provider is not meeting the minimum standards or complying with regulations or we do not have sufficient evidence that the required level of performance is being achieved, the registered person is advised of this through this inspection report. There may also be occasions when more serious or urgent failures are identified and the registered person may additionally have been informed by letter of the findings and action to be taken but those issues will also be reflected in this inspection report. The Healthcare Inspectorate Wales makes a judgment about the frequency and need to inspect the establishment based on information received from and about the provider, since the last inspection was carried out. Before undertaking an inspection, the Healthcare Inspectorate Wales will consider the information it has about a registered person. This might include: A self assessment against the standards, the previous inspection report findings and any action plan submitted, provider visits reports, the Statement of Purpose for the establishment or agency and any complaints or concerning information about the registered person and services.

In assessing each standard we use four outcome statements:

Standard met	No shortfalls: achieving the required levels of performance
Standard almost met	Minor shortfalls: no major deficiencies and required levels of performance seem achievable without extensive extra activity
Standard not met	Major shortfalls: significant action is needed to achieve the required levels of performance
Standard not inspected	This is either because the standard was not applicable, or because, following an assessment of the information received from and about the establishment or agency, no risks were identified and therefore it was decided that there was no need for the standard to be further checked at this inspection

## Assessments and Requirements

The assessments are grouped under the following headings and each standard shows its reference number.

- Core standards
- Service specific standards

Standards Abbreviations:

C = Core standards

A = Acute standards

MH = Mental health standards

H = Hospice standards

MC = Maternity standards

TP = Termination of pregnancy standards

P = Prescribed techniques and technology standards

PD = Private doctors' standards

If the registered person has not fully met any of the standards below, at the end of the report, we have set out our findings and what action the registered person must undertake to comply with the specific regulation. Failure to comply with a regulation may be an offence. Readers must be aware that the report is intended to reflect the findings of the inspector at the particular inspection episode. Readers should not conclude that the circumstances of the service will be the same at all times; sometimes services improve and conversely sometimes they deteriorate.

### Core standards

Number	Standard Topic	Assessment
C1	Patients receive clear and accurate information about their treatment	Standard almost met
C2	The treatment and care provided are patient - centred	Standard met
C3	Treatment provided to patients is in line with relevant clinical guidelines	Standard met
C4	Patient are assured that monitoring of the quality of treatment and care takes place	Standard met
C5	The terminal care and death of patients is handled appropriately and sensitively	Standard not applicable
C6	Patients views are obtained by the establishment and used to inform the provision of treatment and care and prospective patients	Standard almost met
C7	Appropriate policies and procedures are in place to help ensure the quality of treatment and services	Standard almost met
C8	Patients are assured that the establishment or agency is run by a fit person/organisation and that there is a clear line of accountability for the delivery of services	Standard met
C9	Patients receive care from appropriately recruited, trained and qualified staff	Standard met
C10	Patients receive care from appropriately registered nurses who have the relevant skills knowledge and expertise to deliver patient care safely and effectively	Standard not applicable
C11	Patients receive treatment from appropriately recruited, trained and qualified practitioners	Standard not applicable
C12	Patients are treated by healthcare professionals who comply with their professional codes of practice	Standard not applicable

Number	Standard Topic	Assessment
C13	Patients and personnel are not infected with blood borne viruses	Standard met
C14	Children receiving treatment are protected effectively from abuse	Standard not applicable
C15	Adults receiving care are protected effectively from abuse	Standard not met
C16	Patients have access to an effective complaints process	Standard met
C17	Patients receive appropriate information about how to make a complaint	Standard met
C18	Staff and personnel have a duty to express concerns about questionable or poor practice	Standard met
C19	Patients receive treatment in premises that are safe and appropriate for that treatment. Where children are admitted or attend for treatment, it is to a child friendly environment	Standard almost met
C20	Patients receive treatment using equipment and supplies that are safe and in good condition	Standard met
C21	Patients receive appropriate catering services	Standard not applicable
C22	Patients, staff and anyone visiting the registered premises are assured that all risks connected with the establishment, treatment and services are identified, assessed and managed appropriately	Standard met
C23	The appropriate health and safety measures are in place	Standard not inspected
C24	Measures are in place to ensure the safe management and secure handling of medicines	Standard not applicable
C25	Medicines, dressings and medical gases are handled in a safe and secure manner	Standard not applicable
C26	Controlled drugs are stored, administered and destroyed appropriately	Standard not applicable
C27	The risk of patients, staff and visitors acquiring a hospital acquired infection is minimised	Standard met
C28	Patients are not treated with contaminated medical devices	Standard not applicable
C29	Patients are resuscitated appropriately and effectively	Standard met
C30	Contracts ensure that patients receive goods and services of the appropriate quality	Standard met
C31	Records are created, maintained and stored to standards which meet legal and regulatory compliance and professional practice recommendations	Standard met
C32	Patients are assured of appropriately competed health records	Standard met
C33	Patients are assured that all information is managed within the regulated body to ensure patient confidentiality	Standard met
C34	Any research conducted in the establishment/agency is carried out with appropriate consent and authorisation from any patients involved, in line with published guidance on the conduct of research projects	Standard not applicable

**Service specific standards- these are specific to the type of establishment inspected**

Number	Prescribed Techniques and Technology Standards	Assessment
	Class 3B and 4 Lasers and / or Intense Pulsed Light Sources	
P1	Procedures for use of lasers and intense pulsed lights	Standard almost met
P2	Training for staff using lasers and intense pulsed lights	Standard met
P3	Safe operation of lasers and intense pulsed lights	Standard met

**Schedules of information**

The schedules of information set out the details of what information the registered person must provide, retain or record, in relation to specific records.

Schedule	Detail	Assessment
1	Information to be included in the Statement of Purpose	Met
2	Information required in respect of persons seeking to carry on, manage or work at an establishment	Met
3 (Part I)	Period for which medical records must be retained	Met
3 (Part II)	Record to be maintained for inspection	Met
4 (Part I)	Details to be recorded in respect of patients receiving obstetric services	Not applicable
4 (Part II)	Details to be recorded in respect of a child born at an independent hospital	Not applicable

## Requirements

The requirements below address any non-compliance with The Private and Voluntary Health Care (Wales) Regulations 2002 that were found as a result of assessing the standards shown in the left column and other information which we have received from and about the provider. Requirements are the responsibility of the 'registered person' who, as set out in the legislation, may be either the registered provider or registered manager for the establishment or agency. The Healthcare Inspectorate Wales will request the registered person to provide an 'action plan' confirming how they intend to put right the required actions and will, if necessary, take enforcement action to ensure compliance with the regulation shown.

Standard	Regulation	Requirement	Time scale
C19	24 (4) (c)	<p><b>Findings</b> Staff had not attended recent training in fire prevention.</p> <p><b>Action Required</b> The registered person is required to:</p> <ul style="list-style-type: none"> <li>• Make arrangements for staff to attend suitable fire prevention training.</li> </ul>	Within 28 days of the date of this report.
C1	6 (2)	<p><b>Findings</b> Copies of the patient guide were not made available to every patient.</p> <p><b>Action Required</b> The registered person is required to provide a copy of the patient's guide to every patient.</p>	Within 28 days of the date of this report.

## Recommendations

Recommendations may relate to aspects of the standards or to national guidance. They are for registered persons to consider but they are not generally enforced.

Standard	Recommendation
C6	An analysis of the results of the patient questionnaires to be undertaken and made available to patients and Healthcare Inspectorate Wales.
C7 & C15	A policy and procedure in relation to the protection of vulnerable adults to be formulated.
C15	The registered provider to undertake protection of vulnerable adults training.
P1	The local rules need to be updated to reflect the details of the newly appointed Laser Protection Advisor.

The Healthcare Inspectorate Wales exists to promote improvement in health and healthcare. We have a statutory duty to assess the performance of healthcare organisations for the NHS and coordinate reviews of healthcare by others. In doing so, we aim to reduce the regulatory burden on healthcare organisations and align assessments of the healthcare provided by the NHS and the independent (private and voluntary) sector.

This document may be reproduced free of charge in any format or medium, provided that it is not for commercial resale. You may reproduce this Report in its entirety. You may not reproduce it in part or in any abridged form and may only quote from it with the consent in writing of the Healthcare Inspectorate Wales. This consent is subject to the material being reproduced accurately and provided that it is not used in a derogatory manner or misleading context. The material should be acknowledged as © 2009 Healthcare Inspectorate Wales and the title of the document specified. Applications for reproduction should be made in writing to: The Chief Executive, Healthcare Inspectorate Wales, Bevan House, Caerphilly Business Park, Caerphilly, CF83 3ED